



MOTORIMPEX

SERIAL COMPACT HYDRAULIC POWER UNIT

KRAPLYA

SMALL YET POWERFUL

Everything you need is in a single housing.
Configurations available with or without a
drip tray, and with various numbers of outlets.
Ideal for limited spaces.



**READY
FOR SHIPMENT**

TECHNICAL SPECIFICATIONS

PARAMETER	SIZE S-T	SIZE M-T
Tank capacity	15 L	30 L
Pump displacement	3.2 cm³/rev	5.9 cm³/rev
Pump flow rate	4.5 l/min	9 l/min
Relief valve setting	15 MPa	12 MPa
Pump type	gear	
Electric motor power	1.5 kW	2.2 kW
Electric motor supply voltage	230/400 V (AC) (3-phase)	
Weight	49 kg	78 kg
Nominal working fluid temperature	+40 ... +55 °C	
Maximum allowable fluid temperature	+ 70 °C	
Fluid viscosity range	20 – 200 cSt	
Recommended fluid viscosity	30 – 50 cSt	
Filtration rating:		
- filler breather	10 µm	
- return filter	25 µm	



650 €

KRAPLYA S



835 €

KRAPLYA M



Export Manager: Hanna Liventseva

+48 (579) 779-979

global@motorimpex.ua

Engineering group leader: Anton Lebedev



+38 (050) 305-77-01

a.lebedev@motorimpex.ua



 **motorimpex.ua**



KRAPLYA S







KRAPLYA M










OVERALL DIMENSION DRAWINGS

KRAPLYA S



KRAPLYA M



ORDER CODES

CODE	DESCRIPTION	PRICE	QTY	✓
KRAPLYA S	compact 15 L unit without drip tray	650 €	1	
KRAPLYA S-T	compact 15 L unit with drip tray	685 €		
KRAPLYA M-02	30 L unit without drip tray, with 2 directional control valves	835 €		
KRAPLYA M-T-02	30 L unit with drip tray and 2 directional control valves	890 €		

Maximum quantity of directional control valves for KRAPLYA M model: 6 pcs.

Export Manager: Hanna Liventseva

+48 (579) 779-979

global@motorimpex.ua

Engineering group leader: Anton Lebediev

+38 (050) 305-77-01

a.lebedev@motorimpex.ua

READY FOR SHIPMENT


KRAPLYA



MOTORIMPEX

HYDRAULIC POWER UNITS ACCORDING TO INDIVIDUAL SPECIFICATIONS FROM 5 DAYS

Special projects – from 15 days



CHOOSE THE DESIGN TYPE, AND WE WILL SELECT THE PARAMETERS:

Submerged
motor-pump set



Motor-pump set
on the reservoir



Motor-pump set
and reservoir on
a base frame



SHOP
COMPONENTS
ONLINE



Separate motor-pump set
and reservoir



Motor-pump set and
reservoir in a drip tray



Motor-pump set
under the reservoir



OUR PORTFOLIO

Export Manager: **Hanna Liventseva**



+48 (579) 779-979



global@motorimpex.ua

Engineering group leader: **Anton Lebediev**



+38 (050) 305-77-01



a.lebedev@motorimpex.ua



motorimpex.ua