


PA Nylon tube

Ordering Code

PA Nylon tube




Features:

Application:

Air water, chemicals, lubrication, pneumatic controls, instrumentation systems, hydraulic lines, chemical transfer, air-conditioning, CO₂, fuels and oils, irrigation control system, automotive and electrostatic insulation etc.

Chemical Resistance:

Nylon tubing is resistant to most solvents, alkalis, oils, greases, petroleum products, fungi moulds and dilute acids (mineral and organic)



Tube Color


Code	C	B	BU	R	Y	G	W	O
Graphic								

Specifications

Model	PA12
Material	Nylon 12
Hardness	75D
Fluid admitted	Air, Water, Oil, Normal Solvents
Environment and fluid temperature	-40°C ~ 120°C

PA Nylon tube

Main Dimensions



Model	D1 (mm)	D2 (mm)	L (m)	Min. Working pressure at 20°C (Bar)	Min. Burst pressure at 20°C (Bar)	Min. Bend radius at 20°C (mm)	Net weight (Kg/Roll)
PA - 0425	4	2.5	200	27	52	18	1.6
PA - 0604	6	4	200	27	81	37	2.3
PA - 0806	8	6	100	19	57	48	2.3
PA - 1008	10	8	100	16	45	62	3
PA - 1075	10	7.5	100	19	57	60	3.6
PA - 1210	12	10	100	16	45	84	3.6
PA - 1209	12	9	100	19	57	67	5.2